



Swansea University
Prifysgol Abertawe



Cronfa - Swansea University Open Access Repository

This is an author produced version of a paper published in:
International Journal of Population Data Science

Cronfa URL for this paper:
<http://cronfa.swan.ac.uk/Record/cronfa44318>

Conference contribution :

Hollinghurst, J., Fry, R., Akbari, A. & Rodgers, S. (2018). *Using Residential Anonymous Linking Fields to Identify Vulnerable Populations in Administrative Data*. International Journal of Population Data Science, Banff, Canada: IPDLN 2018 conference.
<http://dx.doi.org/10.23889/ijpds.v3i4.893>

This item is brought to you by Swansea University. Any person downloading material is agreeing to abide by the terms of the repository licence. Copies of full text items may be used or reproduced in any format or medium, without prior permission for personal research or study, educational or non-commercial purposes only. The copyright for any work remains with the original author unless otherwise specified. The full-text must not be sold in any format or medium without the formal permission of the copyright holder.

Permission for multiple reproductions should be obtained from the original author.

Authors are personally responsible for adhering to copyright and publisher restrictions when uploading content to the repository.

<http://www.swansea.ac.uk/library/researchsupport/ris-support/>

Using Residential Anonymous Linking Fields to Identify Vulnerable Populations in Administrative Data

Hollinghurst, J¹, Fry, R², Akbari, A³, and Rodgers, S¹

¹Swansea University Medical School

²National Centre for Population Health and Wellbeing Research

³Health Data Research UK - Wales and Northern Ireland, Swansea University Medical School

Introduction

Demographic profiling is an important aspect of anonymised healthcare research to identify the population of interest. Typically, administrative data is used in conjunction with patient registers to create cohorts, but it can be a time consuming process. We describe a method using routinely collected health data to identify vulnerable populations.

Conclusion/Implications

By using quantifiable characteristics of care homes we were able to create a synthetic care home register by searching existing data. This is a reproducible process that would be of particular benefit for projects where a registry is not available, or where time or cost would limit the availability.

Objectives and Approach

Using existing longitudinal data and the Residential Anonymised Linking Field (RALF) we aim to identify institutions linked to vulnerable populations. We search for specific characteristics of these institutions including the age of occupants, number of current residents, and rate of change of occupants. We also aim to compare our method to a pseudonymised national registry for care homes to ensure it is accurate. This can effectively reduce the need for repeat pseudonymisation of institutions, which is both expensive and time consuming.

Results

To implement our method we found the most recent address for living individuals aged 65-95. This produced 202,640 residences from 1,330,335. Of the 202,640 residences, 1347 had four or more cohabitants aged 65-95, and 172 had exactly three residents with ten or more distinct individuals registered over a 10-year period. Our final synthetic dataset therefore had 1519 unique potential care homes to compare to the national registry, which contains 1525 registered care homes.

We can now link the synthetic dataset to individuals to flag their residential status, which may be a defining factor in their level of care. Furthermore, we can answer specific research questions relating to their residency, such as the time it takes to move to a care home following a hospital admission.

